

	Hits	Search Text	DBs
1	1389	(375/219, 375/220, 375/222, 375/354).ccls. and identif\$10 and (memor\$5 or stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	158	(375/219, 375/220, 375/222, 375/354).ccls. and (\$unique\$5 near2 identif\$10) and (memor\$5 or stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	73	(375/219, 375/220, 375/222, 375/354).ccls. and (modem\$2 with connect\$5) and (\$unique\$5 near2 identif\$10) and (memor\$5 or stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	73	(375/219, 375/220, 375/222, 375/354).ccls. and (modem\$2 with connect\$5) and (\$unique\$5 near2 identif\$10) and (memor\$5 or stor\$5) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	6	(375/219, 375/220, 375/222, 375/354).ccls. and ((modem\$2 with connect\$5) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	5	(375/219, 375/220, 375/222, 375/354).ccls. and ((modem\$2 with connect\$5) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and data and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	2	"5619725".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	58	(375/219, 375/220, 375/222, 375/354).ccls. and (modem\$2 with connect\$5) and (\$unique\$5 near2 identif\$10) and (memor\$5 or stor\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	4047	(modem\$2 with connect\$5) and (\$unique\$5 near2 identif\$10) and (memor\$5 or stor\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	45	((modem\$2 with connect\$5) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and data and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	"20020012388".URPN.	USPAT
12	29	((modem\$2 with connect\$5) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and data and channels and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	172	(modem\$2 with connect\$5) and (memor\$5 or stor\$5) and (diagnos\$5 with channel\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	((modem\$2 with connect\$5) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and (diagnos\$5 with channel\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	((modem\$2) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and (diagnos\$5 with channel\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	39	((modem\$2) with (\$unique\$5 near2 identif\$10)) and (memor\$5 or stor\$5) and ((diagnos\$5 or qualit\$5) with channel\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2	"5311596".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2	"5208812".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	14	(modem\$2) and (diagnos\$5 with (categor\$5 with (data or input))) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	10023	(modem\$2) and ((categor\$5 or group) with (data or input or packet\$2)) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	208	(375/219, 375/220, 375/222, 375/354).ccls. and (modem\$2) and ((categor\$5 or group) with (data or input or packet\$2)) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	7	(375/219, 375/220, 375/222, 375/354).ccls. and ((modem\$2) and ((categor\$5 or group) with (data or input or packet\$2))).ab. and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	102	(375/219, 375/220, 375/222, 375/354, 375/224, 375/225, 375/227, 375/228, 325/500, 370/241, 370/250, 370/252, 379/1.01, 379/90.01).ccls. and (modem\$2 with connect\$5) and (\$uniqu\$5 near2 identif\$10) and (memor\$5 or stor\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	((stor\$7 or sav\$7) near2 (diagnos\$7) near2 (call\$7) near2 pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	((stor\$7 or sav\$7) near7 (diagnos\$7) near7 (call\$7) near7 pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	7	((stor\$7 or sav\$7) near7 (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7) near7 (call\$7 or connect\$7) near7 pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	13	((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) near7 (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7) near7 (call\$7 or connect\$7) near7 pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	755	((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) same (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7) same (call\$7 or connect\$7) same pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	60	((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) same (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7) same (call\$7 or connect\$7) same pseudo\$7) and internet and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	13	((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) with (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7) same (call\$7 or connect\$7) same pseudo\$7) and internet and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	24	((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) with (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7 or anal\$7) same (call\$7 or connect\$7) same pseudo\$7) and internet and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	11	S31 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
33	54	("4207431" "4361851" "4536791" "4771391" "5050213" "5113499" "5185860" "5239540" "5261044" "5295244" "5333183" "5347304" "5423003" "5436909" "5504921" "5586121" "5608446" "5710884" "5712897" "5720025" "5724492" "5768280" "5790806" "5793753" "5799002" "5805596" "5808671" "5818845" "5828655" "5859852" "5892812").PN. OR ("6308328").URPN.	US-PGPUB; USPAT; USOCR
34	166	(((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) with (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7 or anal\$7) with (call\$7 or connect\$7)) same pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	166	(((stor\$7 or sav\$7 or tabl\$7 or arra\$7 or memor\$7) with (diagnos\$7 or reliabl\$7 or err\$7 or rat\$7 or anal\$7 or metric\$7) with (call\$7 or connect\$7)) same pseudo\$7) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
36	107	(375/219, 375/220, 375/222, 375/354, 375/224, 375/225, 375/227, 375/228, 324/500, 370/241, 370/250, 370/252, 379/1.01, 379/90.01).ccls. and (modem\$2 with connect\$5) and (\$unique\$5 near2 identif\$10) and (memor\$5 or stor\$5) and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB